

Activ

Sport Surface



Athlete Choice
FOR INDOOR SPORTS FLOORING

BADMINTON COURT



BWF Approved Badminton Flooring



BWF Approved 1427-DYNAMAX 45



BWF Approved 1428-PROMAX 45




BWF Approved 1429-AEROFLEX 70


Standard Badminton Flooring



871-AEROFLEX 45 (In Stock)



1431-AEROFLEX 50



1430-AEROFLEX 60


MULTIPURPOSE SPORTS FLOORING



874-MULTIMAX GREEN 45




877-MULTIMAX BLACK 45




878-MULTIMAX GREY 45



879-MULTIMAX RED 45




880-MULTIMAX ORANGE 45



881-MULTIMAX SKY BLUE 45




1423-MULTIMAX YELLOW 45



1424-MULTIMAX PURPLE 45

BASKETBALL & MULTIPURPOSE HALL



876-MAPLE 45 (In Stock)



875-OAK 45

OTHERS THICKNESS OPTIONS



Thickness : 6mm




Thickness : 8mm

TECHNICAL DATA

Description	Standard	Requirement	Unit	ACTIV X BADMINTON USE 4.5T	ACTIV X MULTI-USE 6.0T	ACTIV X SPORT COMPETITION 8.0T
Product Description						
Total Thickness	EN 428		mm	4.5	6.0	8
Weight	EN 430		kg/m ²	3.4	4.0	5.6
Width of sheet	EN 426		lm	1.8	1.8	1.8
Leghth of sheet	EN 426		lm	20 Max / 15 STD	20 Max / 15 STD	20 Max / 15 STD
Sport Characteristics						
Shock Absoption	EN 14808	≥25	%	≥25	≥25	≥25
Vertical Deformation	EN 14809	≤3.5	mm	≤2	≤2	≤2
Energy Return	NF P 90 203	≥0.31	m/s	≥0.31	≥0.31	≥0.31
Sliding Coefficient	EN 13036-4	80-110	-	80-110	80-110	80-110
Ball Bounce	EN 12235	≥90	%	≥90	≥90	≥90
Technical Characteristics						
Abrasion Resistance	EN ISO 54700-1	-	mg	≤350	≤350	≤350
Impact Resistance	EN 1517	≥8	N/m	≥8	≥8	≥8
Indentation Resistance	EN 1516	≤0.5	mm	≤0.5	≤0.5	≤0.5
Surface Treatment	-	-	-	PUR	PUR	PUR
Classification						
Fire Rating	EN 14041	-	-	B1(C-s1,t0)	B1(C-s1,t0)	B1(C-s1,t0)
Toxic Testing	-	-	-	Qualified	Qualified	Qualified

APPLICATIONS

Major Indoor Sports	Multi Purpose	Health / Fitness
BADMINTON COURT FUTSAL TABLE TENNIS VOLLEY BALL HAND BALL	BASKETBALL COURT NET BALL MULTI SPORTS HALL KINDERGARTEN	GYM FLOORING DANCE FLOOR YOGA FLOOR



BALLET DANCE FLOORING



606-BALLETTE 40

ACCESSORIES



Capping Stripe/
Edge Cap (PVC)



Welding Rod



Badminton Net



Badminton Post




Vinyl Glue
VA-200



CA Glue
PB2020



Double Sided
Tape



Edging
Tape

SPC
CLIQ

URBAN
CLIQ

LIVINN

FIRST
CHOICE

PRIME
FLOOR

CARPET
TILE

BROADLOOM
CARPETS

MOSQUE
CARPETS

KAYU PLUS
LAMINATE FLOORING

ELEGANT
CLIQ

Yes!

Floor Plus
Accessories

OUR BRANDS

PRIMEFIT

PRIME
Play

PRIME
Décor

PRIME
Ballistic

PRIME
Sports

PRIME
Paver

PRIME
Flex

Grass King

Acous
TED
UNDERLAY

DURAFORT
UNDERLAY

Aktiv
MAT

Activ
Sports Surface



scan to visit

www.primelay.com.my

PSF INDUSTRIES SDN BHD (912218-D)

No. 19, Jalan BA/3, Kawasan Perusahaan Bukit Angkat,
43000 Kajang, Selangor, Malaysia.

+603-8741 3841

+6017-556 0103

admin@primelay.com.my

