









Charcoal Neo-1474



Niobe Navy-1475





SPECIFICATION

Product Name : MATRIX CT NY

Construction: Multi Level Ridge Loop

Yarn Type : 100% N-Guard+ Nylon-6 Fiber

Pile Height : ±3mm to 4mm
Pile Weight : ±24oz/yd²

Backing Type : Elastotech+ PVC Backing

Machine Gauge : 1/12

Tile Size : 500mm x 500mm Flame Resistance : Flammability Test (B1)

IMPORTANT NOTES:

- Vacuum carpets regularly in a diagonal direction.
- Use a good quality carpet cleaner according to the manufacturer's instructions to remove stains and avoid using petrol or similar products.
- Actual production may vary slightly from the sample due to batch variations.
- Dye lot variations may cause slight color differences in carpets.
- Protect carpets with chair pads to maintain appearance, prevent wear, and avoid carpet delamination.
- Shading, commonly known as "water marking," is an effect of carpet pile direction changes, and it is a characteristic of the product and not a manufacturing defect.
- Special attention may be required by installers for patterned carpets to ensure a suitable match.

RECOMMENDED INSTALLATION METHODS

Quarter-turn

Ashler-turn

















ice bility

Environmenta Friendly





























OUR BRANDS

























❖ PRIMELAY[®] FLOOR + WALL

PSF INDUSTRIES SDN BHD (912218-D)

- No. 19, Jalan BA/3, Kawasan Perusahaan Bukit Angkat, 43000 Kajang, Selangor, Malaysia.
- **>** +603-8741 3841
- +6017-556 0103
- admin@primelay.com.my
- www.primelay.com.my



scan to visit

Introducing Our App

New Deals And Products, just a tap away, download below

















