




Urban Slate-1466




Granite Mist-1467



Coal Dust-1468





# SPECIFICATION

Product Name	: NEXAR CT
Construction	: Multi Level Ridge Loop
′arn Type	: 100% Ekoweave PP Olefin Fiber
Pile Height	: ±3mm to 4mm
Pile Weight	: ±26oz/yd²
Backing Type	: Elastotech <sup>+</sup> PVC Backing
lachine Gauge	: 1/12
ïle Size	: 500mm x 500mm
lame Resistance	: Flammability Test (B2)

#### **IMPORTANT NOTES:**

- Vacuum carpets regularly in a diagonal direction.
- Use a good quality carpet cleaner according to the manufacturer's instructions to remove stains and avoid using petrol or similar products.
- Actual production may vary slightly from the sample due to batch variations.
- Dye lot variations may cause slight color differences in carpets.
- Protect carpets with chair pads to maintain appearance, prevent wear, and avoid carpet delamination.
- Shading, commonly known as "water marking," is an effect of carpet pile direction changes, and it is a characteristic of the product and not
- a manufacturing defect.
- Special attention may be required by installers for patterned carpets to ensure a suitable match.

## RECOMMENDED INSTALLATION METHODS

Quarter-turn			
	1	$\rightarrow$	
	$\rightarrow$	$\uparrow$	

As	mer-u	
•		1
•		↑


















#### PSF INDUSTRIES SDN BHD (912218-D)

- No. 19, Jalan BA/3, Kawasan Perusahaan Bukit Angkat, 43000 Kajang, Selangor, Malaysia.
- +6017-556 0103
- ➢ admin@primelay.com.my
- www.primelay.com.my



scan to visit

## Introducing Our App

New Deals And Products, just a tap away, download below







